

CHASSIS FRAME MONITOR

Specification

Model Name		TSCHA-1902
Size	19 inch	
Active Area(mm)	374.78(H) X 299.83(V)	
Pixel Pitch(mm)	0.0976(H) X 0.2928(V)	
Resolution	1280(H) X 1024(V)	
Contrast Ratio	1000 : 1 (Typ)	
Display Color	16.7M	
Response time (R + F)	16 ms (typ)	
Brightness(cd/m ²)	Typ. 250	
Viewing Angle (L/R/U/D)	89/89/89/89	
Operating Temperature	0 ~ 50 'C	
Storage Temperuatre	0 ~ 50 'C	
Signal Connector	(RGB, DVI)	
Frame	Chassis Frame	
Power Source	12V DC in, with External AC to DC Adapter	
Power Consumption	15.6 W	
Power Management	VESA DPMS Compliant	
Plug & Play	VESA DDC 1/2B	
Product weight	4.4 Kg	
Packing Information	540x460x140(H)mm (1pcs/ 6.1Kg))	



< Option >


Signal Connector	HDMI, DP, S-Video, CVBS
Power source	DC 24V, AC 110~220V
Frame type	Open, Panel Mount, Rack Mount
Touch Screen	PCAP, IR, RES, SCAP, SAW, Glass
Dimming	Auto, Knob, Manual
temperature control	Heating , Cooling

* Dimming

- Industrial monitor : 5% Dimming (Zero Dimming : please ask to Sales team)
- High-brightness monitor : 50% Dimming (5%, Zero Dimming : please ask to Sales team)

CHASSIS FRAME MONITOR

Mechanical Drawing



** Specifications are subject to change without notice.*