# **CHASSIS FRAME MONITOR**

### Specification

<b>Model Name</b>	TSCHA-W0700
Size	7 inch Wide
Active Area(mm)	152.40(H) X 91.44(V)
Pixel Pitch(mm)	0.1905(H) X 0.1905(V)
Resolution	800(H) X 480(V)
Contrast Ratio	1000 : 1 (Typ)
Display Color	262K, 16.2M
Response time (R + F)	30ms (Typ)
Brightness(cd/m²)	400 (Typ)
Viewing Angle (L/R/U/D)	80 / 80 / 80 / 80
Operating Temperature	0 - 50 'C
Storage Temperuatre	0 - 50 'C
Signal Connector	(RGB, DVI)
Frame	Chassis Frame
Power Source	12V DC in, with External AC to DC Adapter
Power Consumption	7.7 W
Power Management	VESA DPMS Compliant
Plug & Play	VESA DDC 1/2B
Product weight	1.1 Kg
Packing Information	390x330x130(H)mm (1pcs/ 2.4Kg)




< Option >		
Signal Connector	HDMI, DP, S-Video, CVBS	
Power source	DC 24V, AC 110~220V	
Frame type	Open, Panel Mount, Rack Mount	
Touch Screen	PCAP, Resistive, Glass	
Dimming	Auto, Knob, Manual	
temperature control	Heating , Cooling	


#### \* Dimming

- Industrial monitor : 5% Dimming (Zero Dimming : please ask to Sales team)
- High-brightness monitor : 50% Dimming (5%, Zero Dimming : please ask to Sales team)

# **CHASSIS FRAME MONITOR**

### Mechanical Drawing





 $<sup>* \</sup> Specifications \ are \ subject \ to \ change \ without \ notice.$