

HIGH BRIGHTNESS MONITOR

Model Name	TSVH-W4600
Size	46 inch Wide
Active Area(mm)	1018.08(H)x572.67(V) mm
Pixel Pitch(mm)	0.53025 mm x 0.53025 mm
Resolution	1920(H) X 1080(V)
Contrast Ratio	4000 : 1 (Typ)
Display Color	1073.7 M
Response time (R + F)	8 ms
Brightness(cd/m²)	Min. 970
	Typ. 1500
Viewing Angle (L/R/U/D)	89 / 89 / 89 / 89
Operating Temperature	0 ~ 50 'C
Storage Temperuatre	-20'C ~ 60'C
Signal Connector	(RGB, DVI)
Frame	Open Frame
Power Source	AC 110~ 220V
Power Consumption	155W
Power Management	VESA DPMS Compliant
Plug & Play	VESA DDC 1/2B
Product weight	TBD
Packing Information	T BD



< Option >

Signal Connector	HDMI, DP, S-Video, CVBS
Power source	DC 24V
Frame type	Chassis, Panel Mount, Rack Mount
Touch Screen	PCAP, IR, Glass
Dimming	Auto, Knob, Manual
Temperature control	Heating , Cooling

* Dimming

- Industrial monitor : 5% Dimmin (Zero Dimmin : lease ask to Sales team)
- High-brightness monitor : 50% Dimming (5%, Zero Dimming : please ask to Sales team)



