

# **17" ELO Style Projected Capacitive Open-Frame Monitor**

**Product:17"PCAP open-frame LCD monitor**

**Version:Ver.1.0**

**Totally compatible with ELO1790L-E330225**

# Contents

- 1. Overview**
- 2. General description**
- 3. Interface connection**
- 4. Mechanic drawing**
- 5. Package**

# 1.Overview

## 17" ELO Style PCAP open frame monitor

### 1)Features:

- ◆ Standard VESA hole,100x100 or customized
- ◆ 17" 4:3 LED Backlight Monitor,1280x1024 resolution
- ◆ 1000:1 contrast ratio
- ◆ Port: VGA,DP,HDMI
- ◆ Projected Capacitive Touch Technology,10 multi touch
- ◆ Power cord, VGA cable,USB cable included
- ◆ 50,000 hours LED life time.
- ◆ CE, FCC
- ◆ 2 Years Warranty

### 2) Photos

#### Projected Capacitive Touch





## 2. General Description:

### Monitor specification(PCAP)

Screen diagonal dimension	17 inch
Viewable area W x H(mm)	338.9(H)x271.3(V)mm
Led Type	LED
Pixel Pitch	0.264x 0.264mm
Screen Maximum Resolution	1280x1024
Color Depth	16.7 Million colors
Brightness	250 cd/m <sup>2</sup>
Auto Adjust	Yes
Display Aspect Ratio	4:3
Contrast Ratio	1000:1
Response Time(ms)	5ms
View Angle H/V(degrees)	170°/160°
Port inputs	VGA+DP+HDMI+USB
Speakers	Optional
OSD Languages	English, Spanish, German, Chinese, French, Italian
VESA Mounting Pattern	100 x 100 & 75x75mm
Net weight	4.6KG
Gross Weight	5.85KG
Power- Watts(on and standby)	< 25W
Power input (External)	12V,3A
Operating Temperature	0°C ~ 40°C
Storage Temperature	-20°C ~ 60°C
Operating Humidity	10 ~ 85%
Certifications	CE,FCC

### Touch Panel Specification:

Type	17"PCAP TOUCH
Active Area	338.9(H)x271.3(V)mm
Glass Thickness	3mm glass


Surface Hardness	≥ 6H
Consumption	≤ 0.5W
Touch Points	10 Touch Points
Response Time	≤ 10ms
Touch Operation	Finger or Touch pen
Complaint O/S	WinXP,Win7,Win8,Win10,Android,Linux
Transparency	≥ 85%

### 3. Interface description:

Touch-USB,HDMI,DP,VGA



### 4.Drawing:



### 5.Package:Palletized

