

TSPC-2380AI-PCT

Product Highlight

- 23.8 Inch LED Panel(1920 X 1080)
- 16 : 9(250cd/m2)
- Intel®Skylake-U I5-6267U / 2.9GHz dual core processor
- Memory 4GB (option 8GB Upgrade)
- 128GB SSD (256GB, 512GB Upgrade)
- installation bracket Provide

specification

DISPLAY	LCD Size(Resolution)	23.8"(1920 x 1080)
	Display Area (mm)	527.04 (H) x 296.46 (V)
	Viewing Angle	89/89/89/89 (Typ) (Left / Right / Up / Down)
	Brightness(cd/m2)	250 (typ.)
	Contrast	3000 : 1 (typ.)
	Aspect Ratio	16 : 9
	Touch Screen	Resistive (PCAP Option)
Hardware	CPU	Intel® Skylake-U I5-62677U / 2.9GHz dual core processor
	Chipset	Based on Intel®Skylake-U/Skylake-U SOC platform
	BIOS	64Mb Flash ROM
	Onboard Graphics	Intel® Iris Graphics 6100
		1 x VGA port, the highest resolution as 1920X1200@60HZ
		1 x HDMI port, the highest resolution as 2560 x 1600@60HZ
	Memory	2 x SODIMM slot, support 1600/1333MHz DDR3L/1.35V memory
		Max.Support up to 8GB Memory
	Hard Disk	Standard 2.5inch SSD 120GB
		SSD (MSATA or 2.5inch)
	Onboard LAN	8111F Gigabit Ethernet
	Audio	Integrated ALC662 6-Channel audio/Amplifier supports 2Q5W speakers
	Rear I/O	1 x HDMI 1.4ver
		1 x VGA
		1 x RJ-45 Gigabit Ethernet ports
		2 x USB 3.0
		2 x USB 2.0
	6 x RS232 serial ports(option)	
	1 x WIFI ((option)	
	1 x MIC	
	1 x Audio-out	
	1 x 12V DC Jack	

	Power on/off button
	HDD LED, Power LED
Power Consumption	TDP
Support OS	Windows 7 / Windows 8 / Windows 10 / Linux.
Environment	Operating Temperature: 0°C ~ 50°C
	Storage Temperature: -20°C ~ 70°C
Dimension	TBD
Weight	TBD

Dimension



