



SPECIFICATION : TSINE-2200-RE

	22" INDUSTRIAL LCD Monitor
MODEL	TSINE
PRODUCT NO.	TSINE-2200-RE
CUSTOMER	
DATE	2023-01-01

APPROVED BY CLIENT

APPROVED BY TOUCH AND DISPLAYS CO.,LTD	
ENGINEER	
REVIEWER	 <small>Touch & Displays Co., Ltd. Managing Director</small>
CONFIRMED	



DOCUMENT REVISION HISTORY

Date	Rev. No	Page	Description
01,01	TDS133	All	New

Features:

High Response, economical product

Use in extremely bad environment

A variety of input – Finger, Pen, Gloved Hand

DVI, HDMI Cable, Touch Cable, Touch USB cable, Adapter , Power code


Applications:

Personal device, industrial field, Advertisement display,

Semiconductor equipment and more

Model Name	TSINE-2200-RE
Size	22 inch Wide
Active Area(mm)	473.76(H) X 296.1(V)
Pixel Pitch(mm)	0.282(H) X 0.282(V)
Resolution	1680(H) X 1050(V)
Contrast Ratio	2000 : 1 (Typ)
Display Color	16.7M
Brightness(cd/m ²)	250 (Typ)
Viewing Angle (L/R/U/D)	89 / 89 / 89 / 89
Signal Connector	(RGB, DVI)
Optional Signal Connector	HDMI, S-Video, CVBS
Power Source	12V DC in, with External AC to DC Adapter
Power Consumption	29W
Power Management	VESA DPMS Compliant
Plug & Play	VESA DDC 1/2B
Touch screen	5-Wire Resistive
Frame Option	Open, Chassis
Product weight	T B D
Packing Information	T B D

Mechanical Drawing



NOTE

1. This is a simplified drawing and some components are not marked in detail.
2. Please contact our sales representative if you need further product information.
3. All specifications are subject to change without prior notice.
4. The product shown in this datasheet is a standard model. For diagrams that contain customized or optional I/O please contact the Sales Team for more information.